

# SAFETY DATA SHEET

## ACCORDING TO 1907/2006/EC, ARTICLE 31

Printing date 30.11.2014

Version number 4

Revision: 06.05.2014

**TRADE NAME: STAGE FLAME SPRAY CAN 400 ML.**

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### 1.1 PRODUCT IDENTIFIER

Trade name: Stage Flame 400 ml.

Article number: GS0011

### 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

No further relevant information available.

**Application of the substance / the mixture** Preparation

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

**Manufacturer/Supplier:**

Magic FX BV

Schouwrooij 27

NL-5281 RE Boxtel

Tel: +31 (0)411-635013

Fax: +31 (0)411-635012

E-mail: [info@magicfx.eu](mailto:info@magicfx.eu)<http://www.magicfx.eu>**Further information obtainable from:** QHSE Department

### 1.4 EMERGENCY TELEPHONE NUMBER:

Emergency phone number : België : Antipoison Center – Brussels

TEL: +32(0)70/245.245

The Netherlands : National Poisoning Information Center - Bilthoven

TEL: +31(0)30/274.88.88 (Only for the purpose of informing medical personnel in cases of acute intoxications)

## 2. HAZARDS IDENTIFICATION

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**Classification according to Regulation (EC) No 1272/2008**

GHS02 flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

**Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

F+; Extremely flammable

R12: Extremely flammable.

**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Warning! Pressurized container.

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

**2.2 LABEL ELEMENTS****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS02

**Signal word** Danger**Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local regulations.

**2.3 OTHER HAZARDS****Results of PBT and vPvB assessment**







**PBT:** Not applicable.

**vPvB:** Not applicable.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2 CHEMICAL CHARACTERIZATION: MIXTURES

**Description:** Mixture of substances listed below with nonhazardous additions.

<b>Dangerous components:</b>		
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	Propane  F+ R12	25-50%
	 Flam. Gas 1, H220; Flam. Liq. 1, Press. Gas, H280	
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32-xxxx	Butane  F+ R12	25-50%
	 Flam. Gas 1, H220; Flam. Liq. 1, Press. Gas, H280	
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27-xxxx	Isobutane  F+ R12	25-50%
	 Flam. Gas 1, H220; Flam. Liq. 1, Press. Gas, H280	

**Additional information:** For the wording of the listed risk phrases refer to section 16.

## 4. FIRST AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No further relevant information available.

### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No further relevant information available.

## 5. FIRE-FIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

**Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

No further relevant information available.

### 5.3 ADVICE FOR FIREFIGHTERS

**Protective equipment:** No special measures required.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Ensure adequate ventilation  
Keep away from ignition sources.

### 6.2 ENVIRONMENTAL PRECAUTIONS:

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.

### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Ensure adequate ventilation.

### 6.4 REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7. HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

No special measures required.  
Ensure good ventilation/exhaustion at the workplace.  
**Information about fire - and explosion protection:**  
Do not spray onto a naked flame or any incandescent material.  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Storage:**  
**Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Observe official regulations on storing packagings with pressurized containers.  
**Information about storage in one common storage facility:** Not required.  
**Further information about storage conditions:** Protect from heat and direct sunlight.

**7.3 SPECIFIC END USE(S)** No further relevant information available.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Additional information about design of technical facilities:** No further data; see item 7.

### 8.1 CONTROL PARAMETERS

Ingredients with limit values that require monitoring at the workplace:	
<b>106-97-8 butane</b>	
WEL ()	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

**Additional information:** The lists valid during the making were used as basis.

### 8.2 EXPOSURE CONTROLS

**Personal protective equipment:**

**General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

**Respiratory protection:** Not required.

**Protection of hands:** Not required.

**Material of gloves:** Not required.

**Penetration time of glove material:** Not required.

**Eye protection:** Not required.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

**General Information**

**Appearance:**

**Form:** Aerosol  
**Colour:** According to product specification  
**Odour:** Characteristic  
**Odour threshold:** Not determined.

**pH-value:** Not determined.

**Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** Not applicable, as aerosol.  
**Flash point:** < 0 °C (< 32 °F)

Not applicable, as aerosol.

**Flammability (solid, gaseous):** Not applicable.

**Ignition temperature:** 365 °C (689 °F)

**Decomposition temperature:** Not determined.

**Self-igniting:** Product is not selfigniting.

**Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

**Explosion limits:**

**Lower:** 1.5 Vol %

**Upper:** 10.9 Vol %

**Vapour pressure at 20 °C (68 °F):** 3500 hPa (2625 mm Hg)

**Density at 20 °C (68 °F):** 0.54 g/cm<sup>3</sup> (4.506 lbs/gal)

**Relative density:** Not determined.

**Vapour density:** Not determined.

**Evaporation rate:** Not applicable.

<b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Solvent content:</b>	
<b>Organic solvents:</b>	100 %
<b>EU-VOC:</b>	540.0 g/l
<b>EU-VOC in %:</b>	100 %

## 9.2 OTHER INFORMATION

No further relevant information available.

# 10. STABILITY AND REACTIVITY

## 10.1 REACTIVITY

## 10.2 CHEMICAL STABILITY

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

## 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reactions known.

## 10.4 CONDITIONS TO AVOID

No further relevant information available.

## 10.5 INCOMPATIBLE MATERIALS

No further relevant information available.

## 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

No dangerous decomposition products known.

# 11. TOXICOLOGICAL INFORMATION

## 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

### Acute toxicity:

<b>LD/LC50 values relevant for classification:</b>		
106-97-8 butane		
Inhalative	LC50/ 4 h	658000 mg/m <sup>3</sup> (rat)

### Primary irritant effect:

**on the skin:** No irritant effect.

**on the eye:** No irritating effect.

**Sensitization:** No sensitizing effects known.

## 12. ECOLOGICAL INFORMATION

### 12.1 TOXICITY

**Aquatic toxicity:** No further relevant information available.

### 12.2 PERSISTENCE AND DEGRADABILITY

No further relevant information available.

### 12.3 BIOACCUMULATIVE POTENTIAL

No further relevant information available.

### 12.4 MOBILITY IN SOIL

No further relevant information available.

#### **Additional ecological information:**

**General notes:** Generally not hazardous for water

### 12.5 RESULTS OF PBT AND VPVB ASSESSMENT

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 12.6 OTHER ADVERSE EFFECTS

No further relevant information available.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

#### **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### **European waste catalogue**

20 01 13\* solvents

15 01 04 metallic packaging

#### **Uncleaned packaging:**

##### **Recommendation:**

Non contaminated packagings may be recycled.

## 14. TRANSPORT INFORMATION

### 14.1 UN-NUMBER

ADR, IMDG, IATA

UN1950

### 14.2 UN PROPER SHIPPING NAME

ADR

1950 AEROSOLS

IMDG

AEROSOLS

IATA

AEROSOLS, flammable

**14.3 TRANSPORT HAZARD CLASS(ES)**

ADR



**Class** 2 5F Gases.  
**Label** 2.1

IMDG, IATA



**Class** 2.1

**Label** 2.1

**14.4 PACKING GROUP**

**ADR, IMDG, IATA** Void

**14.5 ENVIRONMENTAL HAZARDS:**

**Marine pollutant:** No

**14.6 SPECIAL PRECAUTIONS FOR USER** Warning: Gases.

**Danger code (Kemler):** -

**EMS Number:** F-D,S-U

**14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF**

**MARPOL73/78 AND THE IBC CODE** Not applicable.

**Transport/Additional information:**

ADR

**Limited quantities (LQ)** 1L

**Transport category** 2

**Tunnel restriction code** D

**UN "Model Regulation":** UN1950, AEROSOLS, 2.1

**15. REGULATORY INFORMATION****15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE**

No further relevant information available.

**15.2 CHEMICAL SAFETY ASSESSMENT:** A Chemical Safety Assessment has not been carried out.



## 16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

R12 Extremely flammable.

**Department issuing MSDS:** QHSE Department

**Contact:** Mr. W. Dangerman

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Gas 1: Flammable gases, Hazard Category 1

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas: Gases under pressure: Compressed gas

Flam. Liq. 1: Flammable liquids, Hazard Category 1

Flam. Liq. 2: Flammable liquids, Hazard Category 2

**Data compared to the previous version altered.**